

Rack Mount Dual LCD Drawer (screen pivot)

Model # RMD-24W-D2 / RMD-24WU-D2



**Nouvelle version
symétrique disponible
double rail avec tablette**

Features

- 2U foldable dual 23.8" or 24.1" widescreen LCD display Drawer
- Dual DVI & VGA Port
- native 1920 x 1080 FHD resolution (for 23.8")
- native 1920 x 1200 WUXGA Ultra high resolution (for 24.1")
- Build in 2x 2 watts speakers
- Independent front osd control buttons to optimized display

Option

- Composite video input
- HDMI or Display port input
- 3G / HD / SD-SDI broadcast grade input
- DC 9~36 V power input
- AR Hardness glass
- Touch screen

LCD Characteristics :


Model NO.	RMD-24W-D2	RMD-24WU-D2
Screen Size	Dual 23.8"	Dual 24.1"
Backlight Type	LED	LED
Native Resolution	1920 x 1080	1920 x 1200
Contrast Ratio	1000:1	1000:1
Brightness (cd/m2)	250	300
View Angles (H/V)	178/178	178/178
Pixel Size (HxV) mm	0.2745x0.2745	0.27x0.27
Max. Color	16.7M	16.7M

Input Signals:

DVI-D	Dual DVI-D 24Pin Connector (Female)
VGA	Dual D-SUB 15Pin Connector (Female)
Audio	1x 3.5" Jack
Power Input	Standard IEC Inlet
Touch-USB (option)	Dual USB A Type connector
Touch-RS232 (option)	Dual D-SUB 9P connector (Female)

Power Specifications :

AC Power Input	Standard IEC Type Power Cord with Internal Power adapter, 100-240V AC Input
Wide Range DC Power Input (option)	Screw Type Terminal Block with internal wide Range DC 9-36V power module




Rear of RMD-24W-D2/RMD-24WU-D2

User Controls Interface:

Power ON / OFF via Front Button
Power Mode Status LED indicator
OSD (On Screen Display) Buttons

Mechanical and Environment:

Height	2U Foldable
Rack Depth	24" to 40" (cabinet front rail to rear rail)
Construction	Metal Housing
Operating Temperature	0 - 50 deg. C
Operating Humidity	10% - 90% (non -condensing)
Anti-Vibration	5 - 500 Hz / 1 Grms PTP
Anti-Shock	15G / Peak (11 ms)
Physical Dimension (WxHxD)	443 x 88 x 762 (mm)
Packing Dimension (WxHxD)	570 x 230 x 900 (mm)
Net Weight / Gross Weight	28 / 35 (KGs)
Certification and Approvals	CE / FCC / RoHs



SAIS - Sacasa Industries & Systèmes
 8 rue André Marie Ampère
 28500 Vernouillet - France
 09 70 440 600 - (+ 33) 970 440 600
<https://clavier-ecran-rackable.fr>
contact@sacasa.info



